

Notice of Allowability	Application No.	Applicant(s)
	10/715,085	KASKI, KURT R.
	Examiner	Art Unit
	Timothy Edwards, Jr.	2612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 11/17/03.		
2. The allowed claim(s) is/are <u>1-16</u> .		
<ol> <li>Acknowledgment is made of a claim for foreign priority und a)</li></ol>	been received. been received in Application No	· ·
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s)		
1. Notice of References Cited (PTO-892)		l Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summa	ary (PTO-413),
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/08)</li> <li>Paper No./Mail Date</li> </ol>	Paper No./Mail [ ), 7.  ☐ Examiner's Amer	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's State	ment of Reasons for Allowance
or biological Material	9.	

Application/Control Number: 10/715,085

Art Unit: 2612

## **DETAILED ACTION**

Page 2

## Allowable Subject Matter

1. Claims 1-16 are allowed.

2. The following is an examiner's statement of reasons for allowance: in the environment of a touch pad for a swim timing system the closes prior art Brown et al USP 5,702,799 discloses a touchpad for submersions in water and being touched by a swimmer. However, Brown fails to teach or suggest the method and components of the present apparatus, an apparatus for detecting the touch and release events of a touch pad, the touchpad having spaced apart plates and water between the plates comprising, a charging circuit for charging the spaced apart plates to first voltage disconnecting the charger after a first time period and reconnecting the charge circuit for charging the plates to a second voltage for a second time period, the second voltage being lower than the first voltage, a monitoring system for sensing the voltage between the spaced apart plates, a touch event is indicated by the detection of "n" number of successive decreases in voltage between the spaced apart plates and issuing a touch signal thereafter.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Rosow et al '428, Siegal et al '369, Brown et al '940 and Beierwaltes et al '736 disclose swim timing systems touchpad's.

Any inquiry concerning this communication should be directed to Examiner Timothy Edwards, Jr. at telephone number (571) 272-3067. The examiner can normally be reached on Monday-Thursday, 8:00 a.m.-6:00 p.m. The examiner cannot be reached on Fridays.

If attempt to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber, can be reached at (571) 272-7308.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (571) 272-4700, Mon-Fri., 8:30 a.m.-5:00 p.m.

Any response to this action should be fax to:

(571) 273-8300 (for formal communications intended for entry).

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For

Application/Control Number: 10/715,085

Art Unit: 2612

more information about the PAIR system, see http://pair-direct.uspto.gov or contact the

Page 4

Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Timothy Edwards, Jr. Primary Examiner April 1, 2006